

	On Hand	MSRP Price USD (Each)	Discounted Price USD (Each)
<b>Release Tools</b>			
0203.0429.000.1 (1.688" HD Check Valve / Release Tool, Assembly - 1.000" AMMT (MO...	4.00	4,500.00	2475
0203.0540.000.0 (2.125" HD Release Tool, Assembly - 1.500" AMMT)	4.00	3,950.00	2172.5
0203.0730.000.2 (2.875" HDT Release Tool - 2.375" PAC)	2.00	4,525.00	2488.75
			0
0211.0381.000.1 (1.500" Shear Release Tool Assembly)	6.00	1,500.00	825
0211.0429.000.1 (1.688" Shear Release Tool Assembly)	7.00	1,500.00	825
0211.0445.000.1 (1.750" Shear Release Tool Assembly)	5.00	1,500.00	825
			0
0212.0778.000.0 (3.063" Ball Seat Shear Release Tool Assembly)	6.00	3,250.00	1787.5
0212.0889.000.0 (3.500" Ball Seat Shear Release Tool, Assembly - For Acid Jobs - ...	6.00	3,450.00	1897.5
			0
0242.0445.000.0 (1.750" Flow Release Tool Assembly)	2.00	5,000.00	2750
0242.0540.000.0 (2.125" Flow Release Tool, Assembly (Piston Not Included))	0.00	5,200.00	2860
0242.0730.000.1 (2.875" Flow Release Tool, Assembly)	2.00	5,400.00	2970
			0
<b>Circulation Subs</b>			0
2001.0540.000.0 (2.125" Circ Sub, Assembly - 1.813" Stub Acme Box x 1.500" AMMT P...	6.00	1,500.00	825
2001.0730.000.0 (2.875" Circ Sub, Assembly - 2.500" Stub Acme Box x 2.375" PAC Pi...	6.00	1,500.00	825
2002.0429.000.0 (1.688" Circ Sub, Assembly - 1.000" AMMT Box x Pin )	3.00	1,400.00	770
2002.0540.000.0 (2.125" Circ Sub, Assembly - 1.500" AMMT Box x Pin)	2.00	1,400.00	770
2021.0730.000.0 (2.875" Circ Sub, Assembly - 2.375" PAC )	4.00	1,500.00	825
			0
<b>Burst Discs (Burst Discs)</b>			0
BEN109203 (Burst Disc Blanks )	13.00	60.00	33
BEN109203L (Burst Disc Blanks - Long (3/8" Allen Key Hex) )	20.00	85.00	46.75
BEN203769 (5000psi Burst Disc 11mm style Thread 3/4"-16UNF-2A C276 foil supplied wi...	1.00	340.00	187
BEN203771 (6000psi Burst Disc 11mm style Thread 3/4"-16UNF-2A C276 foil supplied wi...	2.00	340.00	187
BEN203773 (7000psi Burst Disc 11mm style Thread 3/4"-16UNF-2A C276 foil supplied wi...	4.00	340.00	187
			0

	On Hand	MSRP Price USD (Each)	Discounted Price USD (Each)
<b>Dual Flapper Check Valves</b>			0
2111.0540.000.0 (2.125" Dual Flapper Check Valve Assembly )	3.00	1,850.00	1017.5
2112.0429.000.1 (1.688" Dual Flapper Check Valve, Assembly - 1.000" AMMT (MOD))	3.00	1,750.00	962.5
2112.0540.000.0 (2.125" Dual Flapper Check Valve, Assembly - 1.500" AMMT Box x Pin)	4.00	1,850.00	1017.5
			0
			0
2121.0603.000.0 (2.375" Dual Flapper Check Valve, Assembly - 1.813" Stub Acme Box...	4.00	1,850.00	1017.5
			0
2153.0730.000.1 (2.875" Dual Flapper Check Valve, Assembly, 1F2R 2.0 - 2.375" PAC...	1.00	1,850.00	1017.5
			0
<b>Dual Ball Check Valves</b>			0
2143.0508.000.0 (2.000" Dual Ball Check Valve, Assembly - 1.500" AMMT)	1.00	1,100.00	605
			0
<b>Crossover</b>			0
6001.0381.012.0 (1.500" Crossover, 0.938" Stub Acme Box x 1.250" Stub Acme Pin )	5.00	285.00	156.75
6001.0381.018.0 (1.500" Crossover, 0.750" Sucker Rod Box x 0.625" Sucker Rod Pi...	1.00	125.00	68.75
6001.0381.019.0 (1.500" Crossover, 1.250" Stub Acme Box x 1.315" IJ Pin )	2.00	350.00	192.5
6001.0381.022.0 (1.500" Crossover, 1.250" Stub Acme Box x 0.938" Stub Acme )	2.00	385.00	211.75
6001.0429.012.0 (1.688" Crossover, 1.000" AMMT Box x 1.500" Stub Acme Pin )	1.00	350.00	192.5
6001.0429.014.0 (1.688" Crossover, 1.250" Stub Acme Box x 1.500" Stub Acme Pin )	5.00	350.00	192.5
6001.0429.022.0 (1.688" Crossover, 0.938" Stub Acme Box x 1.000" AMMT Pin )	3.00	350.00	192.5
6001.0429.023.0 (1.688" Crossover, 1.188 Go Pin Box x 1.500" Stub Acme Pin )	3.00	350.00	192.5
6001.0429.026.0 (1.688" Crossover, 1.000" AMMT Box x 1.250" Stub Acme Pin)	3.00	350.00	192.5
6001.0445.011.0 (1.750" Crossover, 0.625" Sucker Rod Box x 0.750" Sucker Rod Pin ...	2.00	225.00	123.75
6001.0445.012.0 (1.750" Crossover, 0.625" Sucker Rod Box x 0.875" Sucker Rod Pin )	1.00	225.00	123.75
6001.0445.013.0 (1.750" Crossover, 0.750" Sucker Rod Box x 0.875" Sucker Rod Pin ...	3.00	225.00	123.75
6001.0445.014.0 (1.750" Crossover, 1.500" Stub Acme Box x 1.000" AMMT Pin )	1.00	350.00	192.5
6001.0445.015.0 (1.750" Crossover, 0.875" Sucker Rod Box x 0.750" Sucker Rod Pin )	1.00	125.00	68.75
6001.0445.018.0 (1.750" Crossover 1.000" AMMT x 1.500" Stub Acme)	2.00	350.00	192.5
6001.0508.011.0 (2.000" Crossover, 1.500" AMMT Box x 1.813" Stub Acme Pin )	2.00	375.00	206.25
6001.0508.023.0 (2.000" Crossover, 1.500" AMMT Box x 1.500" Stub Acme Pin )	5.00	375.00	206.25

	On Hand	MSRP Price USD (Each)	Discounted Price USD (Each)
6001.0508.024.0 (2.000" Crossover, 1.500" Stub Acme Box x 1.500" AMMT Pin )	6.00	375.00	206.25
6001.0540.013.0 (2.125" Crossover, 1.500" Stub Acme Box x 1.813" Stub Acme Pin)	11.00	400.00	220
6001.0540.014.0 (2.125" Crossover, 1.813" Stub Acme Box x 1.500" AMMT Pin )	5.00	450.00	247.5
6001.0540.015.0 (2.125" Crossover, 1.813" Stub Acme Box x 1.500" Stub Acme Pin)	2.00	400.00	220
6001.0603.013.0 (2.375" Crossover, 1.500" AMMT Box x 1.813" Stub Acme Pin )	1.00	250.00	137.5
6001.0730.011.0 (2.875" Crossover, 2.375" PAC Box x 2.375" EUE Pin )	3.00	700.00	385
6001.0730.012.0 (2.875" Crossover, 2.375" PAC Box x 2.500" Stub Acme Pin )	2.00	700.00	385
6001.0730.022.0 (2.875" Crossover, 2.500" Stub Acme Box x 2.375" EUE Pin)	2.00	700.00	385
6001.0730.024.0 (2.875" Crossover, 2.500" Stub Acme Box x 1.813" Stub Acme Pin)	2.00	700.00	385
6001.0730.025.0 (2.875" Crossover, 1.813" Stub Acme Box x 2.500" Stub Acme Pin )	2.00	700.00	385
6001.0730.029.0 (2.875" Crossover, 2.500" Stub Acme Box x 2.500" 10 DS Stub Acme ...	2.00	700.00	385
6001.0730.032.0 (2.875" Crossover, 2.375" PAC Box x 2.500 10 DS Stub Acme Pin )	2.00	775.00	426.25
6001.0730.033.0 (2.875" Crossover, 2.500" Stub Acme Box x 1.500" Stub Acme Pin )	8.00	700.00	385
6001.0778.011.0 (3.063" Crossover, 2.375" PAC Box x 2.375" REG Pin )	9.00	650.00	357.5
6001.0778.012.0 (3.063" Crossover, 2.375" REG Box x 2.375" PAC Pin )	1.00	650.00	357.5
6001.0778.016.0 (3.063" Crossover, 2.375" EUE Box x 2.500" Stub Acme Pin )	6.00	650.00	357.5
6001.0778.019.0 (3.063" Crossover, 2.500" Stub Acme Box x 2.375" REG Pin)	7.00	650.00	357.5
6001.0778.021.0 (3.063" Crossover, 2.375" EUE Box 2.500" Stub Acme Single Oring Pin)	1.00	650.00	357.5
6002.0381.013.0 (1.500" Crossover, Ported, 0938" Stub Acme Box x 0.625" Sucker Ro...	3.00	450.00	247.5
6002.0381.017.0 (1.500" Crossover, Ported, 1.250" Stub Acme Box x 0.625" Sucker R...	3.00	475.00	261.25
6002.0429.012.0 (1.688" Crossover, 1.000" AMMT Box x 1.000" AMMT Box )	1.00	350.00	192.5
6002.0429.014.0 (1.688" Crossover, Ported, 1.000" AMMT Box X 0.750" Sucker Rod Bo...	2.00	475.00	261.25
6002.0429.015.0 (1.688" Crossover, Ported, 1.000" AMMT Box X 0.625" Sucker Rod Bo...	1.00	475.00	261.25
6002.0445.014.0 (1.750" Crossover, Ported, 1.500" Stub Acme Box x 0.625" Sucker R...	4.00	475.00	261.25
6002.0508.013.0 (2.000" Crossover, Ported, 1.813" Stub Acme Box x 0.875" Sucker R...	3.00	550.00	302.5
6002.0508.018.0 (2.000" Crossover, 1.500" AMMT Box x 1.500" AMMT Box )	2.00	350.00	192.5
6003.0508.011.0 (2.000" Crossover, 1.500" AMMT Pin x 1.500" AMMT Pin)	4.00	400.00	220
6003.0508.012.0 (2.000" Crossover, 1.500" AMMT Pin x 1.000" AMMT Pin)	1.00	400.00	220
6003.0730.013.0 (2.875" Crossover, 2.375" PAC Pin x 2.375" PAC Pin )	2.00	600.00	330
			0
<b>Internal Coil Connector (In New Zealand Inventory)</b>			0

	On Hand	MSRP Price USD (Each)	Discounted Price USD (Each)
4023.0318.011.0 ( 1.250" Coil Connector, Roll-On, Anti Rotational - 0.095 WT x 1....	2.00	325.00	178.75
4023.0318.016.0 ( 1.250" Coil Connector, Roll-On, Anti Rotational - 0.095 WT x 0....	5.00	325.00	178.75
4023.0318.017.0 ( 1.250" Coil Connector, Roll-On, Anti Rotational - 0.109 WT x 0....	1.00	325.00	178.75
4023.0381.011.0 (1.500" Coil Connector, Roll-On, Anti Rotational - 0.095 WT x 1.2...	2.00	320.00	176
4023.0381.015.0 (1.500" Coil Connector, Roll-On, Anti Rotational - 0.109 WT x 1.0...	1.00	320.00	176
4023.0381.016.0 (1.500" Coil Connector, Roll-On, Anti Rotational - 0.134 WT x 1.2...	1.00	320.00	176
4023.0381.019.0 (1.500" Coil Connector, Roll-On, Anti Rotational - 0.116 WT x 1.2...	3.00	320.00	176
4023.0429.017.0 (1.500" Coil Connector, Roll-On, Anti Rotational - 0.134 WT x 1....	2.00	375.00	206.25
4023.0445.011.0 (1.750" Coil Connector, Roll-On, Anti Rotational - 0.109 WT x 1.5...	1.00	395.00	217.25
4023.0445.013.0 (1.750" Coil Connector, Roll-On, Anti Rotational - 0.156 WT x 1.5...	1.00	395.00	217.25
4023.0445.014.0 (1.750" Coil Connector, Roll-On, Anti Rotational - 0.134 WT x 1.5...	2.00	395.00	217.25
4023.0445.015.0 (1.750" Coil Connector, Roll-On, Anti Rotational - 0.145 WT x 1.5...	4.00	395.00	217.25
4023.0445.016.0 (1.750" Coil Connector, Roll-On, Anti Rotational - 0.156 WT x 1.0...	1.00	395.00	217.25
4023.0508.011.0 (2.000" Coil Connector, Roll-On, Anti Rotational - 0.125 WT x 1.8...	4.00	425.00	233.75
4023.0508.012.0 (2.000" Coil Connector, Roll-On, Anti Rotational - 0.134 WT x 1.8...	3.00	425.00	233.75
4023.0508.013.0 (2.000" Coil Connector, Roll-On, Anti Rotational - 0.156 WT x 1.8...	1.00	425.00	233.75
4023.0508.014.0 (2.000" Coil Connector, Roll-On, Anti Rotational - 0.145 WT x 1....	6.00	425.00	233.75
4023.0508.016.0 (2.000" Coil Connector, Roll-On, Anti Rotational - 0.156 WT x 1.5...	3.00	425.00	233.75
4023.0508.017.0 (2.000" Coil Connector, Roll-On, Anti Rotational - 0.145 WT x 1.8...	2.00	425.00	233.75
4023.0508.018.0 (2.000" Coil Connector, Roll-On, Anti Rotational - 0.175 WT x 1.8...	6.00	425.00	233.75
4023.0508.019.0 (2.000" Coil Connector, Roll-On, Anti Rotational - 0.156 WT x 1.5...	8.00	425.00	233.75
4023.0508.025.0 (2.000" Coil Connector, Roll-On, Anti Rotational - 0.125 WT x 1.50...	9.00	425.00	233.75
4023.0603.011.0 (2.375" Coil Connector, Roll-On, Anti Rotational - 0.156 WT x 1.8...	6.00	425.00	233.75
4023.0603.012.0 (2.375" Coil Connector, Roll-On, Anti Rotational - 0.175 WT x 1.8...	4.00	425.00	233.75
4023.0603.013.0 (2.375" Coil Connector, Roll-On, Anti Rotational - 0.188 WT x 1.8...	5.00	425.00	233.75
4023.0603.015.0 (2.375" Coil Connector, Roll-on, Anti Rotational - 0.145 WT x 1.813...	5.00	425.00	233.75
4033.0381.012.0 (1.500" Coil Connector, Internal Dimple-On - 0.109 WT x 1.000" AM...	1.00	550.00	302.5
4033.0445.018.0 (1.750" Coil Connector, Internal Dimple-On - 0.134 WT x 1.000" AM...	1.00	600.00	330
4033.0508.012.0 (2.000" Coil Connector, Internal Dimple-On - 0.156 WT x 2.375" PA...	2.00	675.00	371.25
4033.0603.011.0 (2.375" Coil Connector, Internal Dimple-On - 0.175 WT x 2.500" St...	2.00	675.00	371.25
4033.0603.016.0 (2.375" Coil Connector, Internal Dimple-On - 0.145 WT x 2.375" PA...	3.00	675.00	371.25

	On Hand	MSRP Price USD (Each)	Discounted Price USD (Each)
4033.0603.019.0 (2.375" Coil Connector, Internal Dimple-On - 0.156 WT x 2.375" PA...	3.00	675.00	371.25
4033.0603.024.0 (2.375" Coil Connector, Internal Dimple-On 0.156 WT x 2.375" EUE ...	1.00	675.00	371.25
4033.0603.025.0 (2.375" Coil Connector, Internal Dimple-On - 0.224 WT x 2.000" 8 ...	2.00	675.00	371.25
4033.0667.011.0 (2.625" Coil Connector, Internal Dimple-On - 0.190 WT x 2.375" PA...	2.00	675.00	371.25
4033.0667.013.0 (2.625" Coil Connector, Internal Dimple-On - 0.175 WT x 2.375" PA...	8.00	675.00	371.25
4033.0667.014.0 (2.625" Coil Connector, Internal Dimple-On 0.190 WT x 2.375" EUE ...	1.00	675.00	371.25
4033.0667.016.0 (2.625" Coil Connector, Internal Dimple-On 0.175 WT x 2.375" EUE...	2.00	675.00	371.25
4033.0667.025.0 (2.625" Coil Connector, Internal Dimple-On - 0.204 WT x 2.375" PA...	2.00	675.00	371.25
4033.0730.012.1 (2.875" Coil Connector, Internal Dimple-on - 0.190 WT x 2.375" EU...	24.00	700.00	385
4033.0730.012.7 (2.875" Coil Connector, Internal Dimple-On - 2.375" EUE Pin, Ins...	1.00	700.00	385
4033.0730.012.8 (2.875" Coil Connector, Internal Dimple-On - 2.375" EUE Pin, Ins...	2.00	700.00	385
4033.0730.015.0 (2.875" Coil Connector, Internal Dimple-On - 0.190 WT x 2.500" St...	6.00	700.00	385
4033.0730.016.1 (2.875" Coil Connector, Internal Dimple-on - 0.175 WT x 2.375" EU...	5.00	700.00	385
4034.0445.012.0 (1.750" Spoolable Connector, Dimple-On - 0.134" WT)	2.00	1,250.00	687.5
4034.0508.012.0 (2.000" Spoolable Connector, Dimple-On - 0.190" WT )	7.00	1,350.00	742.5
4034.0508.014.0 (2.000" Spoolable Connector, Dimple-On - 0.156" WT)	7.00	1,350.00	742.5
4034.0508.015.0 (2.000" Spoolable Connector, Dimple-On - 0.175" WT)	6.00	1,350.00	742.5
4034.0508.017.0 (2.000" Spoolable Connector, Dimple-On - 0.134" WT)	2.00	1,350.00	742.5
4034.0508.018.0 (2.000" Spoolable Connector, Dimple-On 0.156" WT x 0.175" WT)	1.00	1,350.00	742.5
4034.0508.019.0 (2.000" Spoolable Connector, Dimple-On - 0.204" WT )	2.00	1,350.00	742.5
4034.0603.011.0 (2.375" Spoolable Connector, Dimple-On - 0.175" WT )	5.00	1,450.00	797.5
4034.0603.012.0 (2.375" Spoolable Connector, Dimple-On - 0.190" WT )	2.00	1,450.00	797.5
4034.0603.014.0 (2.375" Spoolable Connector, Dimple-On - 0.156" WT )	3.00	1,450.00	797.5
4034.0603.015.0 (2.375" Spoolable Connector, Dimple-On 0.134" WT)	1.00	1,450.00	797.5
4034.0603.020.0 (2.375" Spoolable Connector, Dimple-On - 0.224" WT )	4.00	1,450.00	797.5
4034.0603.021.0 (2.375" Spoolable Connector, Dimple-On - 0.175" WT x 0.156" WT )	2.00	1,450.00	797.5
4034.0603.023.0 (2.375" Spoolable Connector, Dimple-On - 0.250" WT - drawing need...	1.00	1,450.00	797.5
4034.0667.011.0 (2.625" Spoolable Connector, Dimple-On - 0.156" WT )	3.00	1,550.00	852.5
4034.0667.012.0 (2.625" Spoolable Connector, Dimple-On - 0.175" WT )	1.00	1,550.00	852.5
4034.0667.013.0 (2.625" Spoolable Connector, Dimple-On - 0.190" WT )	3.00	1,550.00	852.5
4034.0667.014.0 (2.625" Spoolable Connector, Dimple-On - 0.203" WT )	3.00	1,550.00	852.5

	On Hand	MSRP Price USD (Each)	Discounted Price USD (Each)
4034.0667.018.0 (2.625" Spoolable Connector, Dimple-On - 0.224" WT - P-110)	1.00	1,550.00	852.5
4034.0730.011.0 (2.875" Spoolable Connector, Dimple-On - 0.190" WT )	2.00	1,650.00	907.5
4034.0730.014.0 (2.875" Spoolable Connector, Dimple-On - 0.204" WT )	3.00	1,650.00	907.5
4034.0730.015.0 (2.875" Spoolable Connector, Dimple-On - 0.175" WT )	6.00	1,650.00	907.5
4043.0318.011.0 (1.250" Coil Connector, Roll x Roll - 0.095" WT )	1.00	235.00	129.25
4043.0445.011.0 (1.750" Coil Connector, Roll x Roll - 0.109" WT )	3.00	265.00	145.75
4043.0445.012.0 (1.750" Coil Connector, Roll x Roll - 0.125" WT )	8.00	265.00	145.75
4043.0445.013.0 (1.750" Coil Connector, Roll x Roll - 0.134" WT )	1.00	265.00	145.75
4043.0445.014.0 (1.750" Coil Connector, Roll x Roll - 0.156" WT)	2.00	265.00	145.75
4043.0508.012.0 (2.000" Coil Connector, Roll x Roll - 0.156" WT )	2.00	285.00	156.75
4053.0381.013.0 (1.500" Spoolable Coil Connector, Roll x Roll - 0.134" WT)	3.00	650.00	357.5
4053.0445.011.1 (1.750" Spoolable Coil Connector, Roll x Roll - 0.134" WT)	1.00	675.00	371.25
4053.0445.014.1 (1.750" Spoolable Coil Connector, Roll x Roll - 0.156" WT)	3.00	675.00	371.25
4053.0445.015.1 (1.750" Spoolable Coil Connector, Roll x Roll - 0.145" WT)	3.00	675.00	371.25
4063.0445.011.0 (1.750" Coil Connector, Roll-On - 0.109 WT x 1.500" Stub Acme Pin...	2.00	320.00	176
4063.0445.013.0 (1.750" Coil Connector, Roll-On - 0.134 WT x 1.500" Stub Acme Pin...	2.00	320.00	176
4063.0508.019.0 (2.000" Coil Connector, Roll-On - 0.125" WT x 1.813" Stub Acme Pin)	5.00	375.00	206.25
			0
<b>Dimple-On Hydraulic Installation Equipment</b>			0
9800.0603.K01.0 (Small Yoke Dimple Kit c/w High Pressure Hose, Pump and Large Car...	2.00	6,250.00	3437.5
W376229 (Dimpler Pin - 1.500" Jig Bushing)	3.00	70.00	38.5
W379372 (Dimpler Pin - 2.375" Jig Bushing)	1.00	95.00	52.25
W405343 (Dimpler Pin - 2.000" Jig Bushing)	3.00	102.3077	56.269235
W414457 (CT Dimple On Jig Bushing (1.250" CT))	1.00	3,100.00	1705
W721466 (CT Dimple On Jig Bushing (2.625" CT))	1.00	4,950.00	2722.5
			0
<b>Dimple-On Connector and Installation Accessories</b>			0
W373223 (W373223 Compression Spring)	4.00	100.00	55
W409943 (Snap Ring)	35.00	4.00	2.2
W419740 (W419740 Compression Spring)	35.00	100.00	55
W730999 (Small Yoke Piston)	4.00	450.00	247.5

	On Hand	MSRP Price USD (Each)	Discounted Price USD (Each)
W731001 (Small Yoke Spring Seat)	9.00	300.00	165
W731017 (Small Yoke Ram)	1.00	405.00	222.75
W763070 (Large Yoke Piston)	2.00	475.00	261.25
W763073 (Large Yoke Ram)	3.00	350.00	192.5
W763088 (2.625" - 3.500" CT Dimple On Hydraulic Yoke)	1.00	5,150.00	2832.5
			0
<b>External Coiled Tubing Connector (Grub Screw)</b>			0
4011.0318.012.0 (1.250" Coil Connector, Grub Screw - 1.500" Stub Acme Pin Update...	1.00	880.00	484
4011.0381.011.0 (1.500" Coil Connector, Grub Screw - 1.813" Stub Acme Pin Update...	4.00	950.00	522.5
4011.0381.014.0 (1.500" Coil Connector, Grub Screw - 1.500" AMMT Pin Updated)	4.00	950.00	522.5
4011.0381.015.0 (1.500" Coil Connector, Grub Screw - 2.375" PAC Pin Updated)	3.00	1,050.00	577.5
4011.0381.016.0 (1.500" Coil Connector, Grub Screw - 1.000" AMMT Pin Updated)	1.00	950.00	522.5
4011.0508.013.0 (2.000" Coil Connector, Grub Screw - 2.500" Stub Acme Pin Update...	5.00	1,050.00	577.5
4011.0508.113.0 (2.000" Coil Connector, Grub Screw - Redress kit c/w 1ea Polypack...	10.00	75.00	41.25
4011.0603.012.0 (2.375" Coil Connector, Grub Screw - 2.500" Stub Acme Pin Update...	13.00	1,050.00	577.5
4011.0603.013.0 (2.375" Coil Connector, Grub Screw - 2.375" Pac Pin Updated)	2.00	1,050.00	577.5
4011.0603.014.0 (2.375" Coil Connector, Grub Screw - 2.375" EUE Pin Updated)	1.00	1,050.00	577.5
4011.0730.011.0 (2.875" Coil Connector, Grub Screw - 2.500" Stub Acme Pin Updated)	4.00	1,200.00	660
			0
<b>Nozzles</b>			0
3521.0318.016.0 (1.250" Nozzle, Blank - 0.938" Stub Acme Box )	5.00	245.00	134.75
3521.0381.011.0 (1.500" Nozzle, Blank - 1.250" Stub Acme Box )	4.00	290.00	159.5
3521.0381.012.0 (1.500" Nozzle, 1 Down x 4 Down - 1.250" Stub Acme Box )	2.00	310.00	170.5
3521.0381.014.0 (1.500" Nozzle, 1 Down x 4 Up - 1.250" Stub Acme Box )	8.00	290.00	159.5
3521.0381.016.0 (1.500" Nozzle, 1 Down x 4 Down - 1.000" AMMT Box )	1.00	290.00	159.5
3521.0381.022.0 (1.500" Nozzle, 1 Down x 4 Down x 4 Up - 1.250" Stub Acme Box )	2.00	290.00	159.5
3521.0429.013.0 (1.688" Nozzle, 1 Down x 4 Down - 1.000" AMMT Box)	2.00	325.00	178.75
3521.0429.014.0 (1.688" Nozzle, 1 Down x 4 Up - 1.000" AMMT Box)	2.00	325.00	178.75
3521.0429.017.0 (1.688" Nozzle, 1 Down Full Open Cement - 1.000" AMMT Box)	2.00	325.00	178.75
3521.0429.019.0 (1.688" Nozzle, Blank, 1.188" 12 UNF Box, (Go Pin) )	3.00	325.00	178.75
3521.0445.011.0 (1.750" Nozzle, Blank - 1.500" Stub Acme Box )	2.00	325.00	178.75

	On Hand	MSRP Price USD (Each)	Discounted Price USD (Each)
3521.0445.012.0 (1.750" Nozzle, 1 Down, 2 Tangential - 1.500" Stub Acme Box )	5.00	325.00	178.75
3521.0445.013.0 (1.750" Nozzle, 1 Down, 4 Tangential - 1.500" Stub Acme Box )	1.00	325.00	178.75
3521.0445.014.0 (1.750" Nozzle, 1 Down, 4 Up - 1.500" Stub Acme Box )	2.00	325.00	178.75
3521.0445.015.0 (1.750" Nozzle, 1 Down, 4 Down - 1.500" Stub Acme Box )	5.00	325.00	178.75
3521.0445.017.0 (1.750" Nozzle, 1 Down x Full Open Cement - 1.500" Stub Acme Box ...	5.00	325.00	178.75
3521.0445.018.0 (1.750" Nozzle, 1 Down x 4 Down x 4 Up - 1.500" Stub Acme Box )	2.00	325.00	178.75
3521.0445.021.0 (1.750" Nozzle, Mosquito Nose, Multi-Port, 1.000" AMMT Box )	1.00	350.00	192.5
3521.0508.012.0 (2.000" Nozzle, 1 Down x 4 Tangential - 1.813" Stub Acme Box )	2.00	350.00	192.5
3521.0508.013.0 (2.000" Nozzle, 1 Down x 4 Down - 1.813" Stub Acme Box )	5.00	350.00	192.5
3521.0508.017.0 (2.000" Nozzle, 1 Down x Full Open Cement - 1.813" Stub Acme Box )	3.00	350.00	192.5
3521.0508.020.0 (2.000" Nozzle, 1 Down x 4 Tangential - 1.500" AMMT Box )	4.00	350.00	192.5
3521.0508.021.0 (2.000" Nozzle, 1 Down x 4 Down - 1.500" AMMT Box )	4.00	350.00	192.5
3521.0508.024.0 (2.000" Nozzle, 1 Down x 4 Down x 4 Up - 1.500" AMMT Box )	4.00	350.00	192.5
3521.0508.025.0 (2.000" Nozzle, Full Open Cement - 1.500" AMMT Box)	4.00	350.00	192.5
3521.0540.014.0 (2.125" Nozzle, 1 Down X 4 Up - 1.813" Stub Acme Box)	5.00	350.00	192.5
3521.0540.016.0 (2.125" Nozzle, 1 Down X 4 Down X 4 Up - 1.813" Stub Acme Box)	5.00	350.00	192.5
3521.0540.017.0 (2.125" Nozzle, 1 Down X Full Open Cement - 1.813" Stub Acme Box)	2.00	350.00	192.5
3521.0540.018.0 (2.125" Nozzle, Blank - 1.813" Stub Acme Box)	2.00	350.00	192.5
3521.0603.014.0 (2.375" Nozzle, 1 Down x 4 Down - 1.813" Stub Acme Box )	4.00	375.00	206.25
3521.0603.015.0 (2.375" Nozzle, 1 Down x 4 Up - 1.813" Stub Acme Box )	3.00	375.00	206.25
3521.0603.016.0 (2.375" Nozzle, 1 Down x 4 Tangential - 1.813" Stub Acme Box )	4.00	375.00	206.25
3521.0603.017.0 (2.375" Nozzle, 1 Down x 3 Down x 3 Up - 1.813" Stub Acme Box )	1.00	375.00	206.25
3521.0603.018.0 (2.375" Nozzle, 1 Down x 4 Down - 1.500" AMMT Box)	4.00	375.00	206.25
3521.0603.019.0 (2.375" Nozzle, 1 Down x 4 Up - 1.500" AMMT Box)	3.00	375.00	206.25
3521.0603.020.0 (2.375" Nozzle, 1 Down x 4 Tangential - 1.500" AMMT Box)	4.00	375.00	206.25
3521.0730.014.0 (2.875" Nozzle, 1 Down x Full Open Cement - 2.375" PAC Box)	2.00	375.00	206.25
3521.0730.015.0 (2.875" Nozzle, 1 Down x Full Open Cement - 2.500"Stub Acme Box)	2.00	375.00	206.25
3521.0730.019.0 (2.875" Nozzle, 1 Down x 4 Up - 2.500" Stub Acme Box )	2.00	425.00	233.75
3541.0429.011.0 (1.688" Nozzle, Mule Shoe, 1 Down, 4 Down - 1.000" AMMT)	2.00	375.00	206.25
3541.0429.012.0 (1.688" Nozzle, Mule Shoe, 1 Down, 4 Up-1.000" AMMT)	2.00	375.00	206.25
3541.0730.011.0 (2.875" Nozzle, Mule Shoe 1 Down x 4 Down - 2.375" PAC Box)	4.00	500.00	275



	On Hand	MSRP Price USD (Each)	Discounted Price USD (Each)
3541.0730.012.0 (2.875" Nozzle, Mule Shoe 1 Down x 4 Up - 2.375" PAC Box)	3.00	500.00	275
3541.0730.013.0 (2.875" Nozzle, Mule Shoe 1 Down x 4 Tangential - 2.375" PAC Box)	2.00	500.00	275
3551.0429.011.0 (1.688" Nozzle, 1 Down x Multi-Port Choice - 1.000" AMMT Box )	1.00	625.00	343.75
3551.0508.011.0 (2.000" Nozzle, 1 Down x Multi-Port Choice - 1.500" AMMT Box )	6.00	625.00	343.75
3551.0540.011.0 (2.125" Nozzle, 1 Down x Multi-Port Choice - 1.500" AMMT Box )	1.00	625.00	343.75
3551.0603.012.0 (2.375" Nozzle, 1 Down x Multi-Port Choice - 1.500 AMMT Box )	3.00	725.00	398.75
			0
<b>Stabbing Darts (Protection for the end of the Coiled Tubing)</b>			0
1053.0381.018.0 (1.500" Stabbing Dart, 0.156WT )	1.00	90.00	49.5
1053.0381.019.0 (1.500" Stabbing Dart, 0.175WT )	2.00	90.00	49.5
1053.0508.011.0 (2.000" Stabbing Dart, 0.190WT )	3.00	90.00	49.5
			0
<b>Bypass Subs</b>			0
1911.0429.011.0 (1.688" Bypass Sub, 1.000" AMMT Box x 1.000" AMMT Pin )	2.00	600.00	330
1911.0540.011.0 (2.125" Bypass Sub, 1.500" AMMT Box x 1.500" AMMT Pin )	3.00	625.00	343.75
1911.0730.011.0 (2.875" Bypass Sub, 4 Port, 2.375" PAC)	2.00	950.00	522.5
1951.0778.011.0 (3.063" Ball Seat Sub, 2.375" EUE Box x 2.500" Stub Acme Pin - 0....	4.00	700.00	385
1951.0778.012.0 (3.063" Ball Seat Sub, 2.375" EUE Box x 2.500" Stub Acme Pin - 0....	1.00	700.00	385
			0
<b>No-Go</b>			0
3001.0381.011.0 (1.500" No-Go, 1.250" - 0.938" Stub Acme Box x Pin)	1.00	340.00	187
3001.0508.011.0 (2.000" No-Go, 1.688 - 1.000" AMMT Box x Pin)	4.00	375.00	206.25
3001.0508.012.0 (2.000" No-Go, 1.750" - 1.500" Stub Acme Box x Pin )	7.00	375.00	206.25
3001.0508.013.0 (2.000" No-Go, 1.750" - 1.000" AMMT Box x Pin )	1.00	375.00	206.25
3001.0572.013.0 (2.250" No-Go, 2.000" - 1.500" AMMT Box x Pin)	1.00	375.00	206.25
3001.0635.011.1 (2.500" No-Go, 2.125" - 1.813" Stub Acme Box x Pin)	2.00	375.00	206.25
3001.0667.011.0 (2.625" No-Go, 2.375" x 1.813" Stub Acme Box x Pin )	9.00	425.00	233.75
3001.0667.012.0 (2.625" No-Go, 2.375" x 1.500" AMMT Box x Pin )	1.00	425.00	233.75
3001.0826.011.0 (3.250" No-Go, 2.875" x 2.500" Stub Acme Box x Pin )	2.00	450.00	247.5
			0
3011.0445.011.1 (1.750" Removable No-Go Main Body)	9.00	490.00	269.5

	On Hand	MSRP Price USD (Each)	Discounted Price USD (Each)
3011.0445.022.1 (1.750" Removable No-Go, 2.125" Cap Side)	5.00	275.00	151.25
3011.0445.023.1 (1.750" Removable No-Go, 2.125" Thread Side)	5.00	275.00	151.25
3011.0445.024.1 (1.750" Removable No-Go, 2.500" Cap Side)	9.00	275.00	151.25
3011.0445.025.1 (1.750" Removable No-Go, 2.500" Thread Side)	9.00	275.00	151.25
			0
			0
<b>Stabilizer</b>			0
5001.0508.012.0 (2.000" 6 Blade Stabilizer, 1.688" - 1.000" AMMT Box x Pin)	2.00	575.00	316.25
5001.0540.011.0 (2.125" 6 Blade Stabilizer, 1.688" - 1.000" AMMT Box x Pin)	4.00	575.00	316.25
5001.0635.013.0 (2.500" 6 Blade Stabilizer, 1.688" - 1.000" AMMT Box x Pin)	3.00	725.00	398.75
5001.0740.011.0 (2.910" 6 Blade Stabilizer, 2.125" - 1.500" AMMT Box x Pin)	2.00	650.00	357.5
			0
			0
<b>Straight Bar</b>			0
7021.0318.011.0 (1.250" Straight Bar, 36in - 0.938" Stub Acme )	2.00	600.00	330
7021.0445.011.0 (1.750" Straight Bar, 24in, 1.500" Stub Acme )	2.00	600.00	330
7021.0445.013.0 (1.750" Straight Bar, 36in, 1.500" Stub Acme Updated)	7.00	650.00	357.5
7021.0603.012.0 (2.375" Straight Bar, 36 in, 1.500" AMMT)	4.00	775.00	426.25
7021.0730.012.0 (2.875" Straight Bar, 36in, 2.500" Stub Acme Box x Pin Updated )	2.00	815.00	448.25
			0
<b>Deployment Bar</b>			0
7011.0254.011.0 (1.000" Deployment Bar, 1.0m OAL, 1.000" AMMT Box x Pin )	2.00	1,100.00	605
7011.0508.011.0 (2.000" Deployment Bar, 1.0m OAL, 1.500" AMMT Box x Pin )	1.00	1,100.00	605
			0
<b>Wireline Cable Head Kits</b>			0
0101.0429 1.688" Cable-Head Kit	3.00	32,500.00	17875
			0
<b>Wireline Surface Packoff</b>			0
0105. Surface Packoff, Assembly, Modified Anchor c/w 2" WECO Wing	5.00	1,840.00	1012
			0
<b>15K PSI Surface Packoff (Wireline/TEC)</b>			0

	On Hand	MSRP Price USD (Each)	Discounted Price USD (Each)
0107.1080. 15K PSI Surface Packoff	2.00	8,750.00	4812.50
			0
<b>Anchor Termination Subs</b>			0
0112.0540.KIT 2.125" TEC Encapsulated Cable Anchor Sub	2.00	13,000.00	7150
0112.0730.KIT 2.875" Anchor Sub Kit	2.00	14,500.00	7975
			0
<b>Cable Head Shroud Kit</b>			0
0601.0429.000.0 (1.688" Cable Head Shroud, Kit )	1.00	5,000.00	2750
0601.0445.000.0 (1.750" Cable Head Shroud, Kit)	1.00	5,000.00	2750
			0
<b>Cable Head Internals</b>			0
0003.0032.014.0 (0.125" Cable Head Internal, Upper Teflon Packing )	132.00	35.00	29.75
0003.0056.011.1 (0.219" Cable Head Internal, Upper Anchor Pin (0.161" IAOD) )	65.00	62.00	52.7
0003.0056.012.0 (0.219-0.250" Cable Head Internal, Upper Anchor Body )	92.00	64.00	54.4
0003.0056.014.0 (0.219" Cable Head Internal, Upper Teflon Packing (0.152" IAOD) )	72.00	35.00	29.75
0003.0056.014.1 (0.219" Cable Head Internal, Upper Teflon Packing (0.161" IAOD) )	100.00	35.00	29.75
0003.0056.018.0 (0.219" Cable Head Internal, Lower Teflon Packing )	40.00	25.00	21.25
0003.0056.023.0 (0.219" Cable Head Internal, Lower Anchor Pin)	20.00	62.00	52.7
0003.0056.024.0 (0.219" Cable Head Internal, Lower Anchor Body)	21.00	64.00	54.4
0003.0063.011.0 (0.250" Cable Head Internal, Upper Anchor Pin )	30.00	62.00	52.7
0003.0071.011.0 (0.281" Cable Head Internal, Upper Anchor Pin)	41.00	62.00	52.7
0003.0071.014.0 (0.281" Cable Head Internal, Upper Teflon Packing )	369.00	35.00	29.75
0003.0071.018.0 (0.281" Cable Head Internal, Lower Teflon Packing)	25.00	25.00	21.25
0003.0071.023.0 (0.281" Cable Head Internal, Lower Anchor Pin)	25.00	62.00	52.7
0003.0079.011.0 (0.313" Cable Head Internal, Upper Anchor Pin )	36.00	62.00	52.7
0003.0079.012.0 (0.281" / 0.313" Cable Head Internal, Upper Anchor Body )	7.00	64.00	54.4
0003.0079.013.0 (0.219"/0.313" Cable Head Internal, Upper Cup )	180.00	56.00	47.6
0003.0079.014.0 (0.313" Cable Head Internal, Upper Teflon Packing )	76.00	35.00	29.75
0003.0079.015.0 (Cable Head Internal, Upper Grease Ring )	52.00	88.00	74.8
0003.0079.016.0 (Cable Head Internal, Upper Packing Nut )	33.00	75.00	63.75
0003.0079.017.0 (0.219"/0.313" Cable Head Internal, Lower Cup )	22.00	44.00	37.4

	On Hand	MSRP Price USD (Each)	Discounted Price USD (Each)
0003.0079.018.0 (0.313" Cable Head Internal, Lower Teflon Packing )	51.00	25.00	21.25
0003.0079.019.0 (Cable Head Internal, Lower Grease Ring )	4.00	64.00	54.4
0003.0079.020.0 (Cable Head Internal, Lower Packing Nut )	32.00	65.00	55.25
0003.0079.023.0 (0.313" Cable Head Internal, Lower Anchor Pin )	13.00	62.00	52.7
0003.0079.024.0 (0.313" Cable Head Internal, Lower Anchor Body )	10.00	64.00	54.4
0003.0095.011.0 (0.375" Cable Head Internal, Upper Anchor Pin)	20.00	62.00	52.7
0003.0095.012.0 (0.375" Cable Head Internal, Upper Anchor Body )	15.00	64.00	54.4
0003.0095.014.0 (0.375" Cable Head Internal, Upper Teflon Packing )	14.00	35.00	29.75
0003.0095.018.0 (0.375" Cable Head Internal, Lower Teflon Packing)	39.00	25.00	21.25
0003.0111.011.0 (0.438" Cable Head Internal, Wire-Line Upper Anchor Pin )	13.00	62.00	52.7
0003.0111.011.3 (0.438" Cable Head Internal, Wire-Line Upper Anchor Pin - 0.462" ...	8.00	62.00	52.7
0003.0111.012.0 (0.438" Cable Head Internal, Wire-Line Upper Anchor Body )	29.00	62.00	52.7
0003.0111.012.1 (0.438" Cable Head Internal, Upper Anchor Body - Short Body)	24.00	64.00	54.4
0003.0111.012.3 (0.438" Cable Head Internal, Wire-Line Upper Anchor Body - 0.462" ...	8.00	62.00	52.7
0003.0111.013.0 (0.375"/0.438" Cable Head Internal, Upper Cup )	10.00	56.00	47.6
0003.0111.014.0 (0.438" Cable Head Internal, Upper Teflon Packing )	5.00	35.00	29.75
0003.0111.014.1 (0.438" Cable Head Internal, Upper Teflon Packing, Dataline)	24.00	35.00	29.75
0003.0111.017.0 (0.375"/0.438" Cable Head Internal, Lower Cup )	58.00	44.00	37.4
0003.0111.018.0 (0.438" Cable Head Internal, Lower Teflon Packing )	95.00	25.00	21.25
0003.0111.023.0 (Cable Head Internal, Lower Anchor Replacement Spacer )	21.00	25.00	21.25
0003.0119.011.0 (0.469" Cable Head Internal, Upper Anchor Pin)	3.00	62.00	52.7
0003.0119.012.0 (0.469" Cable Head Internal, Upper Anchor Body)	21.00	64.00	54.4
0003.0119.012.5 (0.469" Cable Head Internal, Upper Anchor Body, EHS)	9.00	64.00	54.4
0003.0119.013.0 (0.469" Cable Head Internal, Upper/Lower Cup)	29.00	56.00	47.6
0003.0119.014.0 (0.469" Cable Head Internal, Teflon Packing)	32.00	35.00	29.75
0003.0119.020.0 (Cable Head Internal, Lower Packing Nut, V2)	55.00	60.00	51
0003.0119.023.0 (Cable Head Internal, Large Anchor Replacement Spacer)	18.00	35.00	29.75
0003.0119.027.0 (Cable Head Internals, 2.125" Cable Head Check Valve Nut)	2.00	60.00	51
0111.0730.014.0 (Cable Head Internal, Lower Packing Nut, V2 - TEC)	8.00	150.00	127.5
			0
<b>Stabbing Grapples and Tube x Tube Grapples</b>			0

	On Hand	MSRP Price USD (Each)	Discounted Price USD (Each)
1013.0381.000.0 (1.500" Tube x Tube Grapple, Single Knuckle, Assembly )	1.00	2,075.00	1141.25
1013.0445.000.0 (1.750" Tube x Tube Grapple, Single Knuckle, Assembly )	1.00	2,075.00	1141.25
1013.0508.000.0 (2.000" Tube x Tube Grapple, Single Knuckle, Assembly)	1.00	2,075.00	1141.25
1013.0603.000.0 (2.375" Tube x Tube Grapple, Single Knuckle, Assembly)	1.00	2,150.00	1182.5
1013.0667.000.0 (2.625" Tube x Tube Grapple, Single Knuckle, Assembly )	1.00	2,200.00	1210
1013.0730.000.0 (2.875" Tube x Tube Grapple, Single Knuckle, Assembly)	1.00	2,650.00	1457.5
			0
1023.0381.000.0 (1.500" Stabbing Grapple, Single Knuckle, Assembly )	1.00	2,075.00	1141.25
1023.0445.000.0 (1.750" Stabbing Grapple, Single Knuckle, Assembly )	1.00	2,075.00	1141.25
1023.0508.000.0 (2.000" Stabbing Grapple Single, Knuckle Assembly)	1.00	2,075.00	1141.25
1023.0603.000.0 (2.375" Stabbing Grapple, Single Knuckle, Assembly)	1.00	2,150.00	1182.5
1023.0667.000.0 (2.625" Stabbing Grapple, Single Knuckle, Assembly)	1.00	2,200.00	1210
1023.0730.000.0 (2.875" Stabbing Grapple, Single Knuckle, Assembly )	1.00	2,650.00	1457.5
			0
<b>Knuckle Joints</b>			0
1111.0381.000.0 (1.500" Knuckle Joint, Assembly)	1.00	1,600.00	880
1111.0429.000.0 (1.688" Knuckle Joint, Assembly - 1.500 Stub Acme )	1.00	1,700.00	935
1113.0429.000.0 (1.688" Knuckle Joint, Assembly, 1.000" AMMT)	1.00	1,700.00	935
1113.0540.000.0 (2.125" Knuckle Joint, Assembly, 1.500" AMMT)	1.00	2,200.00	1210
			0
			0
			0
<b>Pre-Dimple Tool for Grub Screw Connector</b>			0
4013.0508.000.0 (2.000" Pre Dimple Assembly C/W Install-Removal Tool - 2.375" PAC...	2.00	2,100.00	1155
			0
<b>Rotating Casing Scraper</b>			0
5101.1143.001.0 (4.500" Rotating Casing Scraper, Assembly - Carbide Blades Includ...	5.00	4,950.00	2722.5
			0
<b>Pull Plates</b>			0
6102.0508.212.0 (7.000" Pull Plate, 1.000" AMMT Box c/w 1/2" NPT Needle Valve (10k PSI Rated)	2.00	875.00	481.25
6102.0603.212.0 (7.000" Pull Plate, 1.500" AMMT Box c/w 1/2" NPT Needle Valve (10k PSI Rated)	2.00	875.00	481.25

	On Hand	MSRP Price USD (Each)	Discounted Price USD (Each)
6102.0762.211.0 (7.000" Pull Plate, 2.500" Stub Acme Box c/w 1/2" NPT Needle Valve (10k PSI Rated))	1.00	875.00	481.25
6102.0762.212.0 (7.000" Pull Plate, 2.375" PAC Box c/w 1/2" NPT Needle Valve (10k PSI Rated))	1.00	875.00	481.25
6102.0794.212.0 (7.000" Pull Plate, 2.375" PAC Box c/w 1/2" NPT Needle Valve (10k PSI Rated))	1.00	875.00	481.25
			0
<b>Seam Removal Kits</b>			0
7301.0000.K03.0 (CT Seam Removal Kit, 1.250" - 3.500")	1.00	1,250.00	875
			0
<b>Coiled Tubing Clamps</b>			0
7702.0445.000.0 (1.750" Coil Tubing Clamp, Assembly)	2.00	925.00	508.75
7702.0508.000.0 (2.000" Coil Tubing Clamp, Assembly)	2.00	925.00	508.75
7702.0603.000.0 (2.375" Coil Tubing Clamp, Assembly)	1.00	925.00	508.75
7702.0667.000.0 (2.625" Coil Tubing Clamp, Assembly)	7.00	925.00	508.75
7702.0730.000.0 (2.875" Coil Tubing Clamp, Assembly)	3.00	925.00	508.75
			0
<b>Surface Filter Assembly</b>			0
8101.0508.003.0 (2.000" Surface Filter Assembly, 2380 Micron)	1.00	415.00	228.25
			0
<b>Flow Through Bow Spring Centralizer</b>			0
831-060 (1.688" Mechanical Flow Thru Bow Spring Centralizer, Assembly - 1.000" AM...)	4.00	5,400.00	2970
			0
<b>Cup x Cup Frac Tools</b>			0
8402.1143.000.0 (4.500" Cup x Cup Frac Tool)	1.00	9,500.00	5225
			0
<b>Magnet Sub</b>			0
8900.0778.000.0 (3.063" Magnet Sub, Assembly - 2.375" PAC Box x 2.375" PAC Pin)	2.00	6,370.00	3503.5
			0
<b>Mills</b>			0
2.400"-3.000" Predator Mill, 2.000" - 1.500" AMMT - Carbide (Crushed, ...)	8.00	1,945.00	1069.75
9143.0760.111.0 (3.000" Predator Mill, 2.000"-1.500" AMMT - Carbided)	4.00	1,985.00	1091.75
9143.0984.111.0 (3.875" Predator Mill, 2.875" - 2.375" PAC - Carbided)	1.00	3,150.00	1732.5
9149.1140.111.0 (4.488" (114mm) Laser 4 Blade Retro Agg. Mill, 3.500" - 2.875" RE...)	2.00	2,750.00	1512.5

	On Hand	MSRP Price USD (Each)	Discounted Price USD (Each)
9150.0920.111.0 (3.625" Viper Mill, 2.875" - 2.375" PAC - Carbided)	1.00	2,850.00	1567.5
9185.0921.112.0 (3.625" Scorpion Mill, Retro, 2.875" - 2.375" PAC - Carbided (Long...	4.00	2,395.00	1317.25
3.600-3.750" Scorpion Mill, Retro, 2.875"- 2.375" PAC - Carbided, Long...	5.00	2,845.00	1564.75
9185.1140.111.0 (4.488" (114mm) Scorpion Mill, Retro, 2.875" - 2.375" PAC - Carbided)	3.00	2,845.00	1564.75
9188.0963.111.0 (3.795" 3 Blade Scorpion Mill, Retro, 2.875" - 2.375" PAC - Carbided)	1.00	2,595.00	1427.25
9193.0640.111.0 (2.520" (64.0mm) 3 Blade Junk Mill - 1.688"- 1.000" AMMT - Carbid...	2.00	1,350.00	742.5
			0
<b>MCCL Assembly (Sand Rated)</b>			0
9502.1397.000.0 (5.500" Sure Tag MCCL, Assembly - 2.375" Pac - 23.07 kg/m No Key...	1.00	10,450.00	5747.5
			0
<b>Sand Abrasive Jetting Tools</b>			0
9700.0939.000.0 (3.700" Abrasive Jetting Tool, Assembly w/ 4 - .188" Nozzle)	4.00	2,700.00	1485
			0
3.063" Endurance Carbided Sand Abrasive Perforator w/4 - 0.188" Nozzles	2.00	5,400.00	3780
			0
			0
<b>Bridge and Frac Plugs (Composite)</b>			0
ECBP-4500-002 (Prodrill Express Series Bridge plug 4 1/2" 9.5-13.5#, 10 k 300 deg...	8.00	2,100.00	1155
EFCP-4400-002 (Prodrill Express Series Heavy Weight Ball Drop Frac Plug, 4 1/2" 1...	10.00	2,000.00	1100
EWST-44BK10-180 (4 1/2 Prodrill Express Series Baker #10 Shear Sleeve Adapter (04...	1.00	750.00	412.5
EWST-BK10-44-ASM (Prodrill 4 1/2" Baker #10 Setting Sleeve Assembly ( Sleeve Hous...	1.00	950.00	522.5